

# CKD

## Thin body E/P regulator MEVT series




CKD Corporation



# Sales argument 1

Thin body 14mm, light weight 80g  
Max. 24pcs manifold is possible.







# Sales argument 2

Connectable to network


Available with different electrical connection (serial transmission, common terminal stand, Sub-D connector)



Serial transmission



Common terminal stand



Sub-D connector



## Sales argument 3


Bi-color operation indicator (PAT. PEND.) –  
Green color shows operation within set  
pressure range, Red color shows operation  
beyond set pressure or when in error.






# Sales argument 4

Easy pneumatic piping, electrical connection – All the connections can be done on the front of the body, realizing easy connection work and space-saving.



## Sales argument 5

DIN rail mountable on 2 surface (PAT. PEND.) – The manifold can be mounted on the back or on the bottom - installation can be chosen, considering space and/or maintenance.





## Sales argument 6

Super high accuracy, very quick response  
– repeatability 0.3% F.S., response time 0.1sec.  
(when with no load).


## Sales argument 7



Environment friendly – material name  
indicated on main parts for recycling.



# Application example



## \*Other applications

### Precise constant liquid discharger

- IC chip adhering
- PCB cream soldering
- PCB coating
- UV adhesive, etc.

### CMP polishing machine